

Author index to volume 35

- Aono, M., see Matsuda, M., 31
 Arnold, I.C.J., see Mol, J.A., 189
 Atkinson, M.E., see Doughty, S.E., 59
 Barthó, L., Calcitonin gene-related peptide and capsaicin inhibit the circular muscle of the guinea-pig ileum, 43
 Bateman, A., Singh, A., Congote, L.F. and Solomon, S., The effect of HP-1 and related neutrophil granule peptides on DNA synthesis in HL60 cells, 135
 Bjønning, C., Farrell, A.P. and Holmgren, S., Bombesin-like immunoreactivity in skates and the in vivo effect of bombesin on coronary vessels from the longnose skate, *Raja rhina*, 207
 Buchanan, K.D., see Shaw, C., 49
 Cauvin, A., Robberecht, P., De Neef, P., Gourlet, P., Vandermeers, A., Vandermeers-Piret, M.-C. and Christophe, J., Properties and distribution of receptors for pituitary adenylate cyclase activating peptide (PACAP) in rat brain and spinal cord, 161
 Christophe, J., see Cauvin, A., 161
 Congote, L.F., see Bateman, A., 135
 Dabney, J.M., see Dobbins, D.E., 81
 De Neef, P., see Cauvin, A., 161
 Dobbins, D.E. and Dabney, J.M., Endothelin-mediated constriction of prenatal lymphatic vessels in the canine forelimb, 81
 Doughty, S.E., Atkinson, M.E. and Shehab, S.S.A., A quantitative study of neuropeptide immunoreactive cell bodies of primary afferent sensory neurons following rat sciatic nerve peripheral axotomy, 59
 Duve, H., Sewell, J.C., Scott, A.G. and Thorpe, A., Chromatographic characterization and biological activity of neuropeptides immunoreactive to antisera against Met⁵-enkephalin-Arg⁶-Phe⁷ (YGGFMRF) extracted from the blowfly *Calliphora vomitoria* (Diptera), 145
 Farrell, A.P., see Bjønning, C., 207
 Furness, J.B., see Shaw, C., 49
 García, R., see Gauquelin, G., 73
 Gauquelin, G., Thibault, G. and García, R., Renal glomerular endothelin receptors in rats with high-output heart failure, 73
 Gerhardt, P., see Hasenöhrl, R.U., 177
 Gourlet, P., see Cauvin, A., 161
 Hasenöhrl, R.U., Gerhardt, P. and Huston, J.P., Naloxone blocks conditioned place preference induced by substance P and [pGlu⁶]-SP(6-11), 177
 Hazewinkel, H.A.W., see Mol, J.A., 189
 Hellström, P.M., see Schultz, I., 197
 Henke, P.G., see Ray, A., 11
 Hoffman, T.L., see Smith, P.G., 103
 Holmgren, S., see Bjønning, C., 207
 Huston, J.P., see Hasenöhrl, R.U., 177
 Imamura, I., see Kawabata, S., 1
 Kanayama, S., see Kawabata, S., 1
 Kawabata, S., Kanayama, S., Shinomura, Y., Miyazaki, Y., Imamura, I., Moriaki, K., Wada, H. and Tarui, S., Effect of cholecystokinin receptor antagonists, MK-329 and L-365,260, on cholecystokinin-induced acid secretion and histidine decarboxylase activity in the rat, 1
 Kobayashi, H., see Tateishi, K., 95
 Kwant, M.M., see Mol, J.A., 189
 Madarame, T., see Tateishi, K., 95
 Matsuda, M., Aono, M., Moriga, M. and Okuma, M., Centrally administered NPY stimulated gastric acid and pepsin secretion by a vagally mediated mechanism, 31
 Matsuoka, Y., see Tateishi, K., 95
 Miura, Y., see Tateishi, K., 95
 Miyazaki, Y., see Kawabata, S., 1
 Mogard, M.H., see Schultz, I., 197
 Mol, J.A., Kwant, M.M., Arnold, I.C.J. and Hazewinkel, H.A.W., Elucidation of the sequence of canine (pro)-calcitonin. A molecular biological and protein chemical approach, 189
 Moriga, M., see Matsuda, M., 31

Author index to volume 35

- Aono, M., see Matsuda, M., 31
 Arnold, I.C.J., see Mol, J.A., 189
 Atkinson, M.E., see Doughty, S.E., 59
 Barthó, L., Calcitonin gene-related peptide and capsaicin inhibit the circular muscle of the guinea-pig ileum, 43
 Bateman, A., Singh, A., Congote, L.F. and Solomon, S., The effect of HP-1 and related neutrophil granule peptides on DNA synthesis in HL60 cells, 135
 Bjønning, C., Farrell, A.P. and Holmgren, S., Bombesin-like immunoreactivity in skates and the in vivo effect of bombesin on coronary vessels from the longnose skate, *Raja rhina*, 207
 Buchanan, K.D., see Shaw, C., 49
 Cauvin, A., Robberecht, P., De Neef, P., Gourlet, P., Vandermeers, A., Vandermeers-Piret, M.-C. and Christophe, J., Properties and distribution of receptors for pituitary adenylate cyclase activating peptide (PACAP) in rat brain and spinal cord, 161
 Christophe, J., see Cauvin, A., 161
 Congote, L.F., see Bateman, A., 135
 Dabney, J.M., see Dobbins, D.E., 81
 De Neef, P., see Cauvin, A., 161
 Dobbins, D.E. and Dabney, J.M., Endothelin-mediated constriction of prenatal lymphatic vessels in the canine forelimb, 81
 Doughty, S.E., Atkinson, M.E. and Shehab, S.S.A., A quantitative study of neuropeptide immunoreactive cell bodies of primary afferent sensory neurons following rat sciatic nerve peripheral axotomy, 59
 Duve, H., Sewell, J.C., Scott, A.G. and Thorpe, A., Chromatographic characterization and biological activity of neuropeptides immunoreactive to antisera against Met⁵-enkephalin-Arg⁶-Phe⁷ (YGGFMRF) extracted from the blowfly *Calliphora vomitoria* (Diptera), 145
 Farrell, A.P., see Bjønning, C., 207
 Furness, J.B., see Shaw, C., 49
 García, R., see Gauquelin, G., 73
 Gauquelin, G., Thibault, G. and García, R., Renal glomerular endothelin receptors in rats with high-output heart failure, 73
 Gerhardt, P., see Hasenöhrl, R.U., 177
 Gourlet, P., see Cauvin, A., 161
 Hasenöhrl, R.U., Gerhardt, P. and Huston, J.P., Naloxone blocks conditioned place preference induced by substance P and [pGlu⁶]-SP(6-11), 177
 Hazewinkel, H.A.W., see Mol, J.A., 189
 Hellström, P.M., see Schultz, I., 197
 Henke, P.G., see Ray, A., 11
 Hoffman, T.L., see Smith, P.G., 103
 Holmgren, S., see Bjønning, C., 207
 Huston, J.P., see Hasenöhrl, R.U., 177
 Imamura, I., see Kawabata, S., 1
 Kanayama, S., see Kawabata, S., 1
 Kawabata, S., Kanayama, S., Shinomura, Y., Miyazaki, Y., Imamura, I., Moriaki, K., Wada, H. and Tarui, S., Effect of cholecystokinin receptor antagonists, MK-329 and L-365,260, on cholecystokinin-induced acid secretion and histidine decarboxylase activity in the rat, 1
 Kobayashi, H., see Tateishi, K., 95
 Kwant, M.M., see Mol, J.A., 189
 Madarame, T., see Tateishi, K., 95
 Matsuda, M., Aono, M., Moriga, M. and Okuma, M., Centrally administered NPY stimulated gastric acid and pepsin secretion by a vagally mediated mechanism, 31
 Matsuoka, Y., see Tateishi, K., 95
 Miura, Y., see Tateishi, K., 95
 Miyazaki, Y., see Kawabata, S., 1
 Mogard, M.H., see Schultz, I., 197
 Mol, J.A., Kwant, M.M., Arnold, I.C.J. and Hazewinkel, H.A.W., Elucidation of the sequence of canine (pro)-calcitonin. A molecular biological and protein chemical approach, 189
 Moriga, M., see Matsuda, M., 31

- Moriwaki, K., see Kawabata, S., 1
- Murphy, R., see Shaw, C., 49
- Ogura, T., see Takatori, K., 115
- Okuma, M., see Matsuda, M., 31
- Ota, Z., see Takatori, K., 115
- Ray, A. and Henke, P. G., TRH-enkephalin interactions in the amygdaloid complex during gastric stress ulcer formation in rats, 11
- Reddy, H., see Smith, P. G., 103
- Robberecht, P., see Cauvin, A., 161
- Sander, L. D. and Thomas, R. M., Gastrin releasing peptide, but not pentagastrin, stimulates ACTH and cortisol secretion in conscious dogs, 127
- Sato, S., see Tateishi, K., 95
- Schultz, I., Wallin, B., Mogard, M. H. and Hellström, P. M., Neuromedin-N inhibits migrating myoelectric complex and induces irregular spiking in the small intestine of rats; comparison with neurotensin, 197
- Scott, A. G., see Duve, H., 145
- Sewell, J. C., see Duve, H., 145
- Shaw, C., Murphy, R., Thim, L., Furness, J. B. and Buchanan, K. D., Marsupial possum neurotensin: a unique mammalian regulatory peptide exhibiting structural homology to the avian analogue, 49
- Shehab, S. S. A., see Doughty, S. E., 59
- Shinomura, Y., see Kawabata, S., 1
- Singh, A., see Bateman, A., 135
- Smith, P. G., Hoffman, T. L. and Reddy, H., Sprouting of aberrant neuropeptide Y-immunoreactive sympathetic nerves into neonatally denervated smooth muscle, 103
- Solomon, S., see Bateman, A., 135
- Suzuki, K., see Tateishi, K., 95
- Takatori, K., Ogura, T. and Ota, Z., Computerized approach using autoradiography to quantify atrial natriuretic peptide receptors in the DOCA-salt hypertensive rat kidney, 115
- Takeichi, N., see Tateishi, K., 95
- Tarui, S., see Kawabata, S., 1
- Tateishi, K., Miura, Y., Madarame, T., Yoshida, T., Suzuki, K., Takeichi, N., Kobayashi, H., Matsuoka, Y. and Sato, S., Reduced cholecystokinin in the brain of LEC rats with hepatic encephalopathy, 95
- Thibault, G., see Gauquelin, G., 73
- Thim, L., see Shaw, C., 49
- Thomas, R. M., see Sander, L. D., 127
- Thorpe, A., see Duve, H., 145
- Vandermeers, A., see Cauvin, A., 161
- Vandermeers-Piret, M.-C., see Cauvin, A., 161
- Wada, H., see Kawabata, S., 1
- Wallin, B., see Schultz, I., 197
- Wiik, P., Glucocorticoids upregulate the high affinity receptors for vasoactive intestinal peptide (VIP) on human leucocytes in vitro, 19
- Yoshida, T., see Tateishi, K., 95

Key word index to volume 35

- Acute hepatic failure; CCK immunoreactivity; Immunohistochemistry, 95
- Adenylate cyclase; PACAP (pituitary adenylate cyclase activating polypeptide) receptor; Rat central nervous system, 161
- Aorto-caval shunt; Receptor regulation; Plasma endothelin, 73
- Atrial natriuretic peptide; Autoradiography; Receptor; Kidney; Computerized microdensitometry; DOCA-salt hypertensive rat, 115
- Autoradiography; Atrial natriuretic peptide; Receptor; Kidney; Computerized microdensitometry; DOCA-salt hypertensive rat, 115
- Bombesin; GRP; Pituitary-adrenal, 127
- C-terminal analog [pGlu⁶]-SP(6-11); Tachykinin; Substance P; Opioid; Naloxone; Reinforcement; Conditioned place preference; Rat, 177
- CCK immunoreactivity; Acute hepatic failure; Immunohistochemistry, 95
- Calcitonin gene-related peptide; Vasoactive intestinal polypeptide; Fluoride-resistant acid phosphatase; Quantitation; Retrograde neuronal tracer, 59
- Calcitonin; Dog; Nucleotide sequence, 189
- Central administration; Neuropeptide Y (NPY); Noradrenaline; Gastric secretion; Gastrin; Gastric mucosal blood flow, 31
- Central amygdalar nucleus; Thyrotropin releasing hormone; D-Ala²-Met-enkephalinamide; Naloxone; Stress ulcer, 11
- Cholecystokinin; Gastrin; MK-329; L365,260; Gastric acid secretion; Histidine decarboxylase, 1
- Comparative endocrinology; Neuropeptide; Radioimmunoassay; Enkephalin; FMRFamide; Insect salivary gland; Structure-activity relationship, 145
- Computerized microdensitometry; Autoradiography; Atrial natriuretic peptide; Receptor; Kidney; DOCA-salt hypertensive rat, 115
- Conditioned place preference; Tachykinin; Substance P; C-terminal analog [pGlu⁶]-SP(6-11); Opioid; Naloxone; Reinforcement; Rat, 177
- Coronary vasoconstriction; Elasmobranch; Vascular smooth muscle; Gut innervation, 207
- Cytostatic; Defensin; Neutrophil; Growth inhibitor; Myeloid cell; Leukemia, 135
- D-Ala²-Met-enkephalinamide; Thyrotropin releasing hormone; Naloxone; Central amygdalar nucleus; Stress ulcer, 11
- DOCA-salt hypertensive rat; Autoradiography; Atrial natriuretic peptide; Receptor; Kidney; Computerized microdensitometry, 115
- Defensin; Neutrophil; Growth inhibitor; Cytostatic; Myeloid cell; Leukemia, 135
- Denervation; Neuronal plasticity; Phenotype; Noradrenergic fiber; Development; Reinnervation, 103
- Development; Denervation; Neuronal plasticity; Phenotype; Noradrenergic fiber; Reinnervation, 103
- Dog; Calcitonin; Nucleotide sequence, 189
- Elasmobranch; Coronary vasoconstriction; Vascular smooth muscle; Gut innervation, 207
- Endothelium; Vascular smooth muscle; Lymph; Perfused lymphatic; Lymphatic perfusion pressure; Lymphospasm; Lymphatic resistance, 81
- Enkephalin; Neuropeptide; Radioimmunoassay; FMRFamide; Insect salivary gland; Structure-activity relationship; Comparative endocrinology, 145
- Enteric neuropeptide; Primary afferent; Tetrodotoxin; Gut motility, 43
- FMRFamide; Neuropeptide; Radioimmunoassay; Enkephalin; Insect salivary gland; Structure-activity relationship; Comparative endocrinology, 145
- Fluoride-resistant acid phosphatase; Vasoactive intestinal polypeptide; Calcitonin gene-related peptide; Quantitation; Retrograde neuronal tracer, 59

- GRP; Bombesin; Pituitary-adrenal, 127
- Gas phase sequencing; Neurotensin; Intestine; Marsupial possum; Mass spectroscopy, 49
- Gastric acid secretion; Cholecystokinin; Gastrin; MK-329; L365,260; Histidine decarboxylase, 1
- Gastric mucosal blood flow; Neuropeptide Y (NPY); Noradrenaline; Central administration; Gastric secretion; Gastrin, 31
- Gastric secretion; Neuropeptide Y (NPY); Noradrenaline; Central administration; Gastrin; Gastric mucosal blood flow, 31
- Gastrin; Cholecystokinin; MK-329; L365,260; Gastric acid secretion; Histidine decarboxylase, 1
- Gastrin; Neuropeptide Y (NPY); Noradrenaline; Central administration; Gastric secretion; Gastric mucosal blood flow, 31
- Gastrointestinal motility; Neuropeptide; Small intestinal motility, 197
- Glucocorticoid; Leucocyte; VIP-receptor; Neuroimmunomodulation, 19
- Growth inhibitor; Defensin; Neutrophil; Cytostatic; Myeloid cell; Leukemia, 135
- Gut innervation; Coronary vasoconstriction; Elasmobranch; Vascular smooth muscle, 207
- Gut motility; Enteric neuropeptide; Primary afferent; Tetradotoxin, 43
- Histidine decarboxylase; Cholecystokinin; Gastrin; MK-329; L365,260; Gastric acid secretion, 1
- Immunohistochemistry; Acute hepatic failure; CCK immunoreactivity, 95
- Insect salivary gland; Neuropeptide; Radioimmunoassay; Enkephalin; FMRFamide; Structure-activity relationship; Comparative endocrinology, 145
- Intestine; Neurotensin; Marsupial possum; Gas phase sequencing; Mass spectroscopy, 49
- Kidney; Autoradiography; Atrial natriuretic peptide; Receptor; Computerized microdensitometry; DOCA-salt hypertensive rat, 115
- L365,260; Cholecystokinin; Gastrin; MK-329; Gastric acid secretion; Histidine decarboxylase, 1
- Leucocyte; Glucocorticoid; VIP-receptor; Neuroimmunomodulation, 19
- Leukemia; Defensin; Neutrophil; Growth inhibitor; Cytostatic; Myeloid cell, 135
- Lymph; Endothelium; Vascular smooth muscle; Perfused lymphatic; Lymphatic perfusion pressure; Lymphospasm; Lymphatic resistance, 81
- Lymphatic perfusion pressure; Endothelium; Vascular smooth muscle; Lymph; Perfused lymphatic; Lymphatic perfusion pressure; Lymphospasm, 81
- Lymphospasm; Endothelium; Vascular smooth muscle; Lymph; Perfused lymphatic; Lymphatic perfusion pressure; Lymphatic resistance, 81
- MK-329; Cholecystokinin; Gastrin; L365,260; Gastric acid secretion; Histidine decarboxylase, 1
- Marsupial possum; Neurotensin; Intestine; Gas phase sequencing; Mass spectroscopy, 49
- Mass spectroscopy; Neurotensin; Intestine; Marsupial possum; Gas phase sequencing, 49
- Myeloid cell; Defensin; Neutrophil; Growth inhibitor; Cytostatic; Leukemia, 135
- Naloxone; Thyrotropin releasing hormone; D-Ala²-Met-enkephalinamide; Central amygdalar nucleus; Stress ulcer, 11
- Naloxone; Tachykinin; Substance P; C-terminal analog [pGlu⁶]-SP(6-11); Opioid; Reinforcement; Conditioned place preference; Rat, 177
- Neuroimmunomodulation; Leucocyte; Glucocorticoid; VIP-receptor, 19
- Neuronal plasticity; Denervation; Phenotype; Noradrenergic fiber; Development; Reinnervation, 103
- Neuropeptide Y (NPY); Noradrenaline; Central administration; Gastric secretion; Gastrin; Gastric mucosal blood flow, 31
- Neuropeptide; Radioimmunoassay; Enkephalin; FMRFamide; Insect salivary gland; Structure-activity relationship; Comparative endocrinology, 145
- Neuropeptide; Small intestinal motility; Gastrointestinal motility, 197
- Neurotensin; Intestine; Marsupial possum; Gas phase sequencing; Mass spectroscopy, 49
- Neutrophil; Defensin; Growth inhibitor; Cytostatic; Myeloid cell; Leukemia, 135
- Noradrenaline; Neuropeptide Y (NPY); Central administration; Gastric secretion; Gastrin; Gastric mucosal blood flow, 31
- Noradrenergic fiber; Denervation; Neuronal plasticity; Phenotype; Development; Reinnervation, 103
- Nucleotide sequence; Dog; Calcitonin, 189
- Opioid; Tachykinin; Substance P; C-terminal

- analog [pGlu⁶]-SP(6-11); Naloxone; Reinforcement; Conditioned place preference; Rat, 177
- PACAP (pituitary adenylate cyclase activating polypeptide) receptor; Adenylate cyclase; Rat central nervous system, 161
- Perfused lymphatic; Endothelium; Vascular smooth muscle; Lymph; Lymphatic perfusion pressure; Lymphospasm; Lymphatic resistance, 81
- Phenotype; Denervation; Neuronal plasticity; Noradrenergic fiber; Development; Reinnervation, 103
- Pituitary-adrenal; GRP; Bombesin, 127
- Plasma endothelin; Aorto-caval shunt; Receptor regulation, 73
- Primary afferent; Enteric neuropeptide; Tetrodotoxin; Gut motility, 43
- Quantitation; Vasoactive intestinal polypeptide; Calcitonin gene-related peptide; Fluoride-resistant acid phosphatase; Retrograde neuronal tracer, 59
- Radioimmunoassay; Neuropeptide; Enkephalin; FMRFamide; Insect salivary gland; Structure-activity relationship; Comparative endocrinology, 145
- Rat central nervous system; PACAP (pituitary adenylate cyclase activating polypeptide) receptor; Adenylate cyclase, 161
- Rat; Tachykinin; Substance P; C-terminal analog [pGlu⁶]-SP(6-11); Opioid; Naloxone; Reinforcement; Conditioned place preference, 177
- Receptor regulation; Aorto-caval shunt; Plasma endothelin, 73
- Receptor; Autoradiography; Atrial natriuretic peptide; Kidney; Computerized microdensitometry; DOCA-salt hypertensive rat, 115
- Reinforcement; Tachykinin; Substance P; C-terminal analog [pGlu⁶]-SP(6-11); Opioid; Naloxone; Conditioned place preference; Rat, 177
- Reinnervation; Denervation; Neuronal plasticity; Phenotype; Noradrenergic fiber; Development, 103
- Retrograde neuronal tracer; Vasoactive intestinal polypeptide; Calcitonin gene-related peptide; Fluoride-resistant acid phosphatase; Quantitation, 59
- Small intestinal motility; Neuropeptide; Gastrointestinal motility, 197
- Stress ulcer; Thyrotropin releasing hormone; D-Ala²-Met-enkephalinamide; Naloxone; Central amygdalar nucleus, 11
- Structure-activity relationship; Neuropeptide; Radioimmunoassay; Enkephalin; FMRFamide; Insect salivary gland; Comparative endocrinology, 145
- Substance P; Tachykinin; C-terminal analog [pGlu⁶]-SP(6-11); Opioid; Naloxone; Reinforcement; Conditioned place preference; Rat, 177
- Tachykinin; Substance P; C-terminal analog [pGlu⁶]-SP(6-11); Opioid; Naloxone; Reinforcement; Conditioned place preference; Rat, 177
- Tetrodotoxin; Enteric neuropeptide; Primary afferent; Gut motility, 43
- Thyrotropin releasing hormone; D-Ala²-Met-enkephalinamide; Naloxone; Central amygdalar nucleus; Stress ulcer, 11
- VIP-receptor; Leucocyte; Glucocorticoid; Neuroimmunomodulation, 19
- Vascular smooth muscle; Endothelium; Lymph; Perfused lymphatic; Lymphatic perfusion pressure; Lymphospasm; Lymphatic resistance, 81
- Vascular smooth muscle; Coronary vasoconstriction; Elasmobranch; Gut innervation, 207
- Vasoactive intestinal polypeptide; Calcitonin gene-related peptide; Fluoride-resistant acid phosphatase; Quantitation; Retrograde neuronal tracer, 59

Contents of volume 35

Number 1, 23 July 1991

Announcement from the Publisher	v
Effect of cholecystokinin receptor antagonists, MK-329 and L-365,260, on cholecystokinin-induced acid secretion and histidine decarboxylase activity in the rat <i>S. Kawabata, S. Kanayama, Y. Shinomura, Y. Miyazaki, I. Imamura, K. Moriwaki, H. Wada and S. Tarui (Japan)</i>	1
TRH-enkephalin interactions in the amygdaloid complex during gastric stress ulcer formation in rats <i>A. Ray and P. G. Henke (India, Canada)</i>	11
Glucocorticoids upregulate the high affinity receptors for vasoactive intestinal peptide (VIP) on human mononuclear leucocytes in vitro <i>P. Wiik (Norway)</i>	19
Centrally administered NPY stimulated gastric acid and pepsin secretion by a vagally mediated mechanism <i>M. Matsuda, M. Aono, M. Moriga and M. Okuma (Japan)</i>	31
Calcitonin gene-related peptide and capsaicin inhibit the circular muscle of the guinea-pig ileum <i>L. Barthó (Hungary)</i>	43
Marsupial possum neurotensin: a unique mammalian regulatory peptide exhibiting structural homology to the avian analogue <i>C. Shaw, R. Murphy, L. Thim, J. B. Furness and K. D. Buchanan (Northern Ireland, Australia, Denmark)</i>	49
A quantitative study of neuropeptide immunoreactive cell bodies of primary afferent sensory neurons following rat sciatic nerve peripheral axotomy <i>S. E. Doughty, M. E. Atkinson and S. A. S. Shehab (U.K.)</i>	59
Renal glomerular endothelin receptors in rats with high-output heart failure <i>G. Gauquelin, G. Thibault and R. Garcia (Canada)</i>	73
Endothelin-mediated constriction of prenodal lymphatic vessels in the canine forelimb <i>D. E. Dobbins and J. M. Dabney (U.S.A.)</i>	81
Announcements	93

Number 2, 13 August 1991

Announcement from the Publisher	iii
Reduced cholecystokinin in the brain of LEC rats with hepatic encephalopathy <i>K. Tateishi, Y. Miura, T. Madarame, T. Yoshida, K. Suzuki, N. Takeichi, H. Kobayashi, Y. Matsuoka and S. Sato (Japan)</i>	95
Sprouting of aberrant neuropeptide Y-immunoreactive sympathetic nerves into neonatally denervated smooth muscle <i>P. G. Smith, T. L. Hoffman and H. Reddy (U.S.A.)</i>	103

Computerized approach using autoradiography to quantify atrial natriuretic peptide receptors in the DOCA-salt hypertensive rat kidney <i>K. Takatori, T. Ogura and Z. Ota (Japan)</i>	115
Gastrin releasing peptide, but not pentagastrin, stimulates ACTH and cortisol secretion in conscious dogs <i>L.D. Sander and R.M. Thomas (U.S.A.)</i>	127
The effect of HP-1 and related neutrophil granule peptides on DNA synthesis in HL60 cells <i>A. Bateman, A. Singh, L.F. Congote and S. Solomon (Canada)</i>	135
Chromatographic characterisation and biological activity of neuropeptides immunoreactive to antisera against Met ⁵ -enkephalin-Arg ⁶ -Phe ⁷ (YGGFMRF) extracted from the blowfly <i>Calliphora vomitoria</i> (Diptera) <i>H. Duve, J.C. Sewell, A.G. Scott and A. Thorpe (U.K.)</i>	145
Properties and distribution of receptors for pituitary adenylate cyclase activating peptide (PACAP) in rat brain and spinal cord <i>A. Cauvin, P. Robberecht, P. De Neef, P. Gourlet, A. Vandermeers, M.-C. Vandermeers-Piret and J. Christophe (Belgium)</i>	161
Announcements	175

Number 3, 3 September 1991

Announcement from the Publisher	iii
Naloxone blocks conditioned place preference induced by substance P and [pGlu ⁶]-SP(6-11) <i>R. U. Hasenöhr, P. Gerhardt and J. P. Huston (F.R.G.)</i>	177
Elucidation of the sequence of canine (pro)-calcitonin. A molecular biological and protein chemical approach <i>J. A. Mol, M. M. Kwant, I. C. J. Arnold and H. A. W. Hazewinkel (The Netherlands)</i>	189
Neuromedin-N inhibits migrating myoelectric complex and induces irregular spiking in the small intestine of rats; comparison with neurotensin <i>I. Schultz, B. Wallin, M. H. Mogard and P. M. Hellström (Sweden)</i>	197
Bombesin-like immunoreactivity in skates and the in vitro effect of bombesin on coronary vessels from the longnose skate, <i>Raja rhina</i> <i>C. Bjønning, A. P. Farrell and S. Holmgren (Sweden, Canada)</i>	207
Abstracts of the Annual Meeting of the Bayliss & Starling Society, Liverpool, 23-24 September 1991	221
Author index to abstracts	263
Announcements	265
Author index to volume 35	266
Key word index to volume 35	268

